

Philips Signage Solutions  
Multi-Touch Display

10"

Powered by Android  
Multi-touch

**Signage**Solutions

10BDL3051T



## Discover a new level of interaction

with this 10" touch display, powered by Android™

Enhance and personalize interactions with this user-friendly, 5 point touch screen

### Supreme audience interaction

- Engage clients with an interactive screen
- True multi touch with 5 simultaneous touch points

### Innovative solutions for any signage application

- Android: Run your own app or choose your favorite app to run
- Save and play content with internal memory
- LED bars for meeting room applications
- Simplify the installation with Power-over-Ethernet
- Built-in WiFi and bluetooth

### Maximizing the impact of your message

- Manage settings of multiple displays with CMND & Control
- Create and update content with CMND & Create
- CMND: Take control of your displays
- Simplify your installation with the built-in wall mount
- Connect and control your content via the cloud

**PHILIPS**

# Highlights

## Powered by Android


With Android OS integrated into the display, you can work with the most developed OS on the planet and save your own app directly into the display. Or, choose from the large library of Android apps and play content from there. With the built-in scheduler, you can daypart your apps and content based on your customer and time of day and with the auto orientation feature, showing content in portrait or landscape is as simple as turning the display.

## Internal Memory



Save and play content with internal memory. Upload your media into the display and playback content immediately. Working in conjunction with the internal browser, it also serves as a memory cache when streaming online content. If the network ever fails, the internal memory keeps content running by playing a cached version of the content, ensuring that your media stays up even if the network goes down.

## CMND



A robust display management platform, CMND puts the power back into your hands. Update and manage content with CMND & Create or control your settings with CMND & Control. It's all possible with CMND.

## LED Bars

With LED strips along the backside of the display, you broadcast a halo of light to visitors passing by. This technology can be used to signify if the meeting room is available, or to simply add a colorful new signage dimension to your business

## Power-over-Ethernet

Simplify the installation with Power-over-Ethernet technology. Using this technology, power and connectivity can be delivered over a single ethernet line. This allows for a simplified installation, since there is no need for a power adapter. Displays can be installed in small, hard to reach areas, helping to ensure a more flexible and adaptable display environment. And for those who prefer not to use Power-over-Ethernet, a power adapter is included in the box.

## Built-in wall mount

Save time and money with the built-in wall mount. Install your display right out of the box with the mount already built-in to the back of the display.

## Multi-touch interactivity

Using the power of touch, a brand new level of interactivity is available. With the projected capacitive touch technology, this 10" display offers a bezel-less front, complete with 5 simultaneous touch points. Meaning users can interact with your business in new, dynamic ways

## SmartBrowser

Connect and control your content via the cloud with the integrated HTML5 browser. Using the Chromium based browser, design your content online and connect a single display, or your complete network. Simply connect the display to the internet using WiFi or with an RJ45 cable, and enjoy your own created playlists.

## WiFi and Bluetooth

Communicate wirelessly with the WiFi and bluetooth integration or simplify your content control by downloading content wirelessly.

# Specifications

## Picture/Display

- Diagonal screen size: 10.1" inch / 25.6 cm
- Panel resolution: 1280 x 800
- Optimum resolution: 1280 x 800
- Brightness: 300 cd/m<sup>2</sup>
- Contrast ratio (typical): 800:1
- Aspect ratio: 16:9
- Response time (typical): 30 ms
- Viewing angle (H / V): 170 / 170 degree

## Interactivity

- Multi-touch technology: Projected capacitive
- Touch points: 5 simultaneous touchpoints
- Protection glass: 0.7 mm tempered safety glass

## Connectivity

- Video output: HDMI
- Audio output: External speaker connector
- External control: RJ45
- Other connections: USB, micro SD

## Convenience

- Placement: Landscape, Portrait
- Network controllable: RJ45, WiFi
- Picture performance: Advanced color control
- Screen saving functions: Pixel Shift, Low Brightness
- Keyboard control: Hidden, Lockable
- Energy saving functions: Smart Power
- Memory: 8GB eMMC

## Dimensions

- Set dimensions (W x H x D):  
261 x 167.2 x 29 mm
- Product weight: 0.71 kg
- VESA Mount: 75 x 75
- Product weight (lb): 1.57 lb
- Set dimensions in inch (W x H x D):  
10.28 x 6.58 x 1.14 inch
- Bezel width (L/R, T/B): 19.77 (L/R), 13.56 (T/B) mm

## Sound

- Built-in speakers: 2 x 2W

## Operating conditions

- Temperature range (operation): 5 ~ 40 °C
- Relative humidity: 20 ~ 80 %
- MTBF: 50,000 hour(s)
- Altitude: 0 ~ 3000 m
- Temperature range (storage): -20 ~ 60 °C

## Power

- Mains power: 90 ~ 240 VAC, 50/60Hz
- Standby power consumption: <0.5W
- Consumption (Typical): 6 W

## Accessories

- Included accessories: AC Power Cord, Quick start guide, Table top stand

## Miscellaneous

- On-Screen Display Languages: Arabic, English, French, German, Italian, Japanese, Polish, Spanish, Turkish, Russian, Simplified Chinese, Traditional Chinese, Danish, Dutch, Finnish, Norwegian, Portuguese, Swedish
- Regulatory approvals: CE, CCC, FCC, Class B, UL/cUL, RoHS, CB, C-Tick, BSMI, EnergyStar 7.0, GOST, J-Moss, PSE, VCCI
- Warranty: 3 year warranty

## Multimedia Applications

- USB Playback Audio: AAC, APE, FLAC, M4A, MP1, MP2, MP3, WAV, WMA
- USB Playback Picture: BMP, GIF, JPEG, JPG, PNG
- USB Playback Video: 3GP, ASF, AVI, DAT, FLY, MKV, MOV, MP3, MP4, MPG, RM, RMVB, TS, VOB, WEBM, WMV



Issue date 2016-08-05  
Owner: Tom Ringhs  
Version: 0.0.0

12 NC: 8670 001 40632  
EAN: 87 12581 74155 6

Test leaflet, for internal use only!  
© 2016 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)